



DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS

Stanley P. Johnson
 REGISTERED CIVIL ENGINEER
 No. CS7393
 Exp. 3-31-12
 CIVIL
 STATE OF CALIFORNIA


May 20, 2011
 PLANS APPROVAL DATE
 THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.




TYPICAL WALKWAY SECTION




EXTERIOR WALKWAY GRATING DETAILS




INTERIOR WALKWAY GRATING DETAILS



DETAIL G



CLIP L DETAIL



END PLATE CONNECTOR DETAIL

NOTES:

1. Welded type grating shall have 1/4" x 1/8" bearing bars at 1 1/2" centers with 1/4" diameter (or equal) cross bars at 4" centers. If mechanical lock grating is used, it shall be equal in strength to the welded type. Alternate hold-down clips may be submitted for approval.
2. Walkway grating to be continuous (no splices) over as many walkway brackets as practical and consistent with fabrication, ease of handling and assembly.
3. Interior grating shall be installed only for projects requiring backside walkways.

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
**OVERHEAD SIGN-TRUSS
 SINGLE POST TYPE
 WALKWAY DETAILS
 CHANGEABLE MESSAGE SIGNS
 MODEL 510**
 NO SCALE