


Dist	COUNTY	ROUTE	POST MILES	SHEET	TOTAL
			TOTAL PROJECT	No.	SHEETS

REGISTERED CIVIL ENGINEER  
 Tiliot Satter  
 No. C42892  
 Exp. 3-31-18  
 CIVIL  
 STATE OF CALIFORNIA

July 15, 2016  
 PLANS APPROVAL DATE  
 THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

TO ACCOMPANY PLANS DATED \_\_\_\_\_

- NOTES:**
1. Walls are to be backfilled before barrier is placed.
  2. Clearance to reinforcing steel in barrier to be 1", except as noted. Longitudinal reinforcement to stop at all expansion joints.
  3. Dimensions may vary with roadway cross slope and with certain thickness of surfacing. See Project Plans.
  4. For typical metal railing connection details not shown, see Revised Standard Plans RSP A77U1 and RSP A77U2.
  5. See Revised Standard Plans RSP ES-9A, RSP ES-9B, RSP ES-9C, RSP ES-9D and RSP ES-9E for electrical details. The maximum number of conduits in the barrier is limited to two 2" conduits along with one 3" conduit. When a 3" conduit is used, it is restricted to the base of the barrier.
  6. For electrolier mounting details, see Revised Standard Plans RSP ES-6A and RSP ES-6B.
  7. Minimum concrete edge distance, to the reinforcing shown, shall be maintained. Edge distance may be adjusted to accommodate increase in concrete cover for architectural treatment.



**PEDESTAL ELEVATION**

STATE OF CALIFORNIA  
 DEPARTMENT OF TRANSPORTATION  
**CONCRETE BARRIER  
 TYPE 732**  
 NO SCALE

Details shown for barrier anchorage to Type 732A. Anchorage for barrier Types 732 and 732A are similar to their respective details.

RSP B11-55 DATED JULY 15, 2016 SUPERSEDES RSP B11-55 DATED NOVEMBER 15, 2013 AND RSP B11-55 DATED JULY 19, 2013 AND STANDARD PLAN B11-55 DATED MAY 20, 2011 - PAGE 297 OF THE STANDARD PLANS BOOK DATED 2010.

**REVISED STANDARD PLAN RSP B11-55**