


DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS


REGISTERED CIVIL ENGINEER	
October 30, 2015	
PLANS APPROVAL DATE	
PLANS APPROVAL DATE	PLANS APPROVAL DATE

REGISTERED PROFESSIONAL ENGINEER	
Bruce D. Swanger	
No. C61257	Exp. 6-30-17
CIVIL	
STATE OF CALIFORNIA	


TO ACCOMPANY PLANS DATED _____




ALTERNATIVE CLIP BRACKET DETAIL



TAPERED INLET




PIPE STAKE ANCHOR DETAIL




NOTE A
In sag location, use 10'-0" length of paved gutter flare on both sides of inlet.

PLAN


TAPERED INLET AND FLUME DOWNDRAIN



SECTION A-A




SECTION B-B



PLAN


MOUNTABLE DIKE

HOT MIX ASPHALT OVERSIDE DRAINS




SECTION C-C

NOTE:
1. Cross section of slope ditch may be semicircular, vee or trapezoidal.



SECTION F-F



SECTION G-G

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
OVERSIDE DRAINS
NO SCALE

RSP D87D DATED OCTOBER 30, 2015 SUPERSEDES STANDARD PLAN D87D DATED MAY 20, 2011 - PAGE 185 OF THE STANDARD PLANS BOOK DATED 2010.

REVISED STANDARD PLAN RSP D87D