


PLAN


Bend #5 and #8 Reinf in curb as required to clear pull box.



SECTION D-D

BARRIER MODIFICATION FOR ELECTROLIER

See Note 4



ELEVATION

ELECTROLIER NOTES:

1. See Project Plans for electrolier and pull box locations.
2. For electrical details, see Standard Plans ES-9A, ES-9B, ES-9C, ES-9D, and ES-9E.
3. This barrier is designed to accommodate only two 1 1/2" electrical conduit for electroliers on the structure. Any transporting of larger conduit is restricted to within the structure.
4. Only the additional reinforcing for the electrolier pedestal is shown. For other typical reinforcing for Type 80 Barrier, see Standard Plan B11-60.

DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL SHEETS

REGISTERED CIVIL ENGINEER

May 20, 2011

PLANS APPROVAL DATE

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

REGISTERED PROFESSIONAL ENGINEER
Tillot Satter
No. C42892
Exp. 3-31-12
CIVIL
STATE OF CALIFORNIA

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

**CONCRETE BARRIER
TYPE 80
(Sheet 2 of 2)**

NO SCALE

B11-61